ELSEVIER

Neuroscience Letters 270 (1999) 192–194

Neuroscience Letters

Author Index to Volume 270

Addo, A., see Schwenkreis, P., 137
Akimoto, M., see Matsuoka, N., 177
Akirav, I., Richter-Levin, G., Priming stimulation in the basolateral amygdala modulates synaptic plasticity in the rat dentate gyrus, 83
Anderson, M., see Commins, S., 99
Anninos, P.A., see Manolas, M.G., 21
Annoni, G., see Licastro, F., 129
Arai, H., see Ishiguro, K., 91
Archibald, K., Molnár, E., Henley, J.M., Differential changes in the subcellular distribution of α-amino-3-hydroxy-5-methyl-4-isoxazole propionate and *N*-methyl-D-aspartate receptors in neonate and adult rat cortex, 49
Auer, C., see Siebner, H.R., 37
Avila-Costa, M.R., Colín-Barenque, L., Fortoul, T.I., Machado-Salas, J.P., Espinosa-Villanueva, J., Rugerio-Vargas, C., Rivas-Arancibia, S., Memory deterioration in an oxidative stress model and its correlation with cytological changes on rat hippocampus CA1, 107
Azmitia, E.C., see Huang, J., 5

Baik, S.H., see Shin, D.H., 53
Balzamo, E., Pellegrin, V., Somma-Mauvais, H., Jammes, Y., Activation of respiratory afferents by resistive loaded breathing modifies somatosensory evoked potentials to median nerve stimulation in humans, 157
Barbieri, M., Nistri, A., Electrophysiological actions of *N*-[1-[4-(4-fluorophenoxy)butyl]-4-piperidinyl]-*N*-methyl-2-benzothiazolamine (R56865) on CA1 neurons of the rat hippocampal slice during hypoxia, 161
Bartenstein, P., see Siebner, H.R., 37
Battistini, A., see Vetrugno, V., 41
Bereznai, B., see Harhangi, B.S., 1
Bertolini, S., see Licastro, F., 129
Blessing, W.W., Yu, Y.H., Nalivaiko, E., Raphe pallidus and parapyramidal neurons regulate ear pinna vascular conductance in the rabbit, 33
Bonifati, V., see Harhangi, B.S., 1
Bourne, R.C., see Mezey, Sz., 75
Breteler, M.M.B., see Harhangi, B.S., 1
Brice, A., see Harhangi, B.S., 1

Casadei, V., see Licastro, F., 129
Cho, S.S., see Shin, D.H., 53
Cho, T.H., see Rhyu, I.J., 149
Colín-Barenque, L., see Avila-Costa, M.R., 107
Commins, S., Anderson, M., Gigg, J., O'Mara, S.M., The effects of single and multiple episodes of theta patterned or high frequency stimulation on synaptic transmission from hippocampal area CA1 to the subiculum in rats, 99
Conrad, B., see Otero, D.A.C., 29
Conrad, B., see Siebner, H.R., 37
Crawford, F., Town, T., Freeman, M., Schinka, J., Gold, M., Duara, R., Mullan, M., The alpha-2 macroglobulin gene is not associated with Alzheimer's disease in a case-control sample, 133
Csillag, A., see Mezey, Sz., 75

De Michele, G., see Harhangi, B.S., 1
Demiralp, T., see Devrim, M., 17
Dertwinkel, R., see Schwenkreis, P., 137
Devrim, M., Demiralp, T., Kurt, A., Yücesir, İ., Slow cortical potential shifts modulate the sensory threshold in human visual system, 17
Dixon, A.K., see Lee, K., 56
Drzezga, A., see Siebner, H.R., 37
Duara, R., see Crawford, F., 133
Dürr, A., see Harhangi, B.S., 1

Erb, M., see Jessen, F., 13
Erokwu, B.O., see Grill, W.M., 63
Espinosa-Villanueva, J., see Avila-Costa, M.R., 107

Farrer, M.J., see Harhangi, B.S., 1
Ferri, C., see Licastro, F., 129
Fortoul, T.I., see Avila-Costa, M.R., 107
Freeman, M., see Crawford, F., 133

Galbiati, M., see Messi, E., 165
Gasser, T., see Harhangi, B.S., 1
Genda, Y., see Utsugisawa, K., 145
Gigg, J., see Commins, S., 99
Gold, M., see Crawford, F., 133
Govoni, M., see Licastro, F., 129
Grill, W.M., Erokwu, B.O., Hadziefendic, S., Haxhiu, M.A., Extended survival time following pseudorabies virus injection labels the suprapontine neural network controlling the bladder and urethra in the rat, 63
Grimaldi, L.M.E., see Licastro, F., 129
Grodd, W., see Jessen, F., 13

Hadziefendic, S., see Grill, W.M., 63
Hamada, H., see Matsuoka, N., 177
Hardy, J., see Harhangi, B.S., 1
Harhangi, B.S., Farrer, M.J., Lincoln, S., Bonifati, V., Meco, G., De Michele, G., Brice, A., Dürr, A., Martinez, M., Gasser, T., Bereznai, B., Vaughan, J.R., Wood, N.W., Hardy, J., Oostra, B.A., Breteler, M.M.B., The Ile93Met mutation in the ubiquitin carboxy-terminal-hydrolase-L1 gene is not observed in European cases with familial Parkinson's disease, 1
Hashimoto, N., see Matsuoka, N., 177
Haxhiu, M.A., see Grill, W.M., 63
Henley, J.M., see Archibald, K., 49
Heun, R., see Jessen, F., 13
Hökfelt, T., see Nicholas, A.P., 9
Hoppe, S., see Reiche, D., 71
Huang, J., Azmitia, E.C., Homologous regulation of 5-HT1A receptor mRNA in adult rat hippocampal dentate gyrus, 5
Huang, Z.-L., Mochizuki, T., Watanabe, H., Maeyama, K., Activation of

PII: S0304-3940(99)00522-4

ELSEVIER

Neuroscience Letters 270 (1999) 192–194

Neuroscience Letters

Author Index to Volume 270

Addo, A., see Schwenkreis, P., 137
Akimoto, M., see Matsuoka, N., 177
Akirav, I., Richter-Levin, G., Priming stimulation in the basolateral amygdala modulates synaptic plasticity in the rat dentate gyrus, 83
Anderson, M., see Commins, S., 99
Anninos, P.A., see Manolas, M.G., 21
Annoni, G., see Licastro, F., 129
Arai, H., see Ishiguro, K., 91
Archibald, K., Molnár, E., Henley, J.M., Differential changes in the subcellular distribution of α-amino-3-hydroxy-5-methyl-4-isoxazole propionate and *N*-methyl-D-aspartate receptors in neonate and adult rat cortex, 49
Auer, C., see Siebner, H.R., 37
Avila-Costa, M.R., Colín-Barenque, L., Fortoul, T.I., Machado-Salas, J.P., Espinosa-Villanueva, J., Rugerio-Vargas, C., Rivas-Arancibia, S., Memory deterioration in an oxidative stress model and its correlation with cytological changes on rat hippocampus CA1, 107
Azmitia, E.C., see Huang, J., 5

Baik, S.H., see Shin, D.H., 53
Balzamo, E., Pellegrin, V., Somma-Mauvais, H., Jammes, Y., Activation of respiratory afferents by resistive loaded breathing modifies somatosensory evoked potentials to median nerve stimulation in humans, 157
Barbieri, M., Nistri, A., Electrophysiological actions of *N*-[1-[4-(4-fluorophenoxy)butyl]-4-piperidinyl]-*N*-methyl-2-benzothiazolamine (R56865) on CA1 neurons of the rat hippocampal slice during hypoxia, 161
Bartenstein, P., see Siebner, H.R., 37
Battistini, A., see Vetrugno, V., 41
Bereznai, B., see Harhangi, B.S., 1
Bertolini, S., see Licastro, F., 129
Blessing, W.W., Yu, Y.H., Nalivaiko, E., Raphe pallidus and parapyramidal neurons regulate ear pinna vascular conductance in the rabbit, 33
Bonifati, V., see Harhangi, B.S., 1
Bourne, R.C., see Mezey, Sz., 75
Breteler, M.M.B., see Harhangi, B.S., 1
Brice, A., see Harhangi, B.S., 1

Casadei, V., see Licastro, F., 129
Cho, S.S., see Shin, D.H., 53
Cho, T.H., see Rhyu, I.J., 149
Colín-Barenque, L., see Avila-Costa, M.R., 107
Commins, S., Anderson, M., Gigg, J., O'Mara, S.M., The effects of single and multiple episodes of theta patterned or high frequency stimulation on synaptic transmission from hippocampal area CA1 to the subiculum in rats, 99
Conrad, B., see Otero, D.A.C., 29
Conrad, B., see Siebner, H.R., 37
Crawford, F., Town, T., Freeman, M., Schinka, J., Gold, M., Duara, R., Mullan, M., The alpha-2 macroglobulin gene is not associated with Alzheimer's disease in a case-control sample, 133
Csillag, A., see Mezey, Sz., 75

De Michele, G., see Harhangi, B.S., 1
Demiralp, T., see Devrim, M., 17
Dertwinkel, R., see Schwenkreis, P., 137
Devrim, M., Demiralp, T., Kurt, A., Yücesir, İ., Slow cortical potential shifts modulate the sensory threshold in human visual system, 17
Dixon, A.K., see Lee, K., 56
Drzezga, A., see Siebner, H.R., 37
Duara, R., see Crawford, F., 133
Dürr, A., see Harhangi, B.S., 1

Erb, M., see Jessen, F., 13
Erokwu, B.O., see Grill, W.M., 63
Espinosa-Villanueva, J., see Avila-Costa, M.R., 107

Farrer, M.J., see Harhangi, B.S., 1
Ferri, C., see Licastro, F., 129
Fortoul, T.I., see Avila-Costa, M.R., 107
Freeman, M., see Crawford, F., 133

Galbiati, M., see Messi, E., 165
Gasser, T., see Harhangi, B.S., 1
Genda, Y., see Utsugisawa, K., 145
Gigg, J., see Commins, S., 99
Gold, M., see Crawford, F., 133
Govoni, M., see Licastro, F., 129
Grill, W.M., Erokwu, B.O., Hadziefendic, S., Haxhiu, M.A., Extended survival time following pseudorabies virus injection labels the suprapontine neural network controlling the bladder and urethra in the rat, 63
Grimaldi, L.M.E., see Licastro, F., 129
Grodd, W., see Jessen, F., 13

Hadziefendic, S., see Grill, W.M., 63
Hamada, H., see Matsuoka, N., 177
Hardy, J., see Harhangi, B.S., 1
Harhangi, B.S., Farrer, M.J., Lincoln, S., Bonifati, V., Meco, G., De Michele, G., Brice, A., Dürr, A., Martinez, M., Gasser, T., Bereznai, B., Vaughan, J.R., Wood, N.W., Hardy, J., Oostra, B.A., Breteler, M.M.B., The Ile93Met mutation in the ubiquitin carboxy-terminal-hydrolase-L1 gene is not observed in European cases with familial Parkinson's disease, 1
Hashimoto, N., see Matsuoka, N., 177
Haxhiu, M.A., see Grill, W.M., 63
Henley, J.M., see Archibald, K., 49
Heun, R., see Jessen, F., 13
Hökfelt, T., see Nicholas, A.P., 9
Hoppe, S., see Reiche, D., 71
Huang, J., Azmitia, E.C., Homologous regulation of 5-HT1A receptor mRNA in adult rat hippocampal dentate gyrus, 5
Huang, Z.-L., Mochizuki, T., Watanabe, H., Maeyama, K., Activation of

PII: S0304-3940(99)00522-4

sensory nerves participates in stress-induced histamine release from mast cells in rats, 181

Ichinose, H., see Mogi, M., 45
Ikeuchi, T., see Ozawa, T., 110
Imahori, K., see Ishiguro, K., 91
Inoue, M., see Renbäck, K., 59
Ishiguro, K., Ohno, H., Arai, H., Yamaguchi, H., Urakami, K., Park, J.-M., Sato, K., Kohno, H., Imahori, K., Phosphorylated tau in human cerebrospinal fluid is a diagnostic marker for Alzheimer's disease, 91
Ishii, K., see Matsuoka, N., 177
Iwata, A., see Mase, M., 188

Jammes, Y., see Balzamo, E., 157
Janssen, F., see Schwenkreis, P., 137
Jessen, F., Erb, M., Klose, U., Lotze, M., Grodd, W., Heun, R., Activation of human language processing brain regions after the presentation of random letter strings demonstrated with event-related functional magnetic resonance imaging, 13

Kabai, P., see Mezey, Sz., 75
Kim, H., see Rhyu, I.J., 149
Kim, H.J., see Shin, D.H., 53
Klose, U., see Jessen, F., 13
Kobayashi, H., see Ozawa, T., 110
Kohno, H., see Ishiguro, K., 91
Koide, R., see Ozawa, T., 110
Komure, O., see Mogi, M., 45
Kondo, T., see Mogi, M., 45
Kowall, N.W., see Volicer, L., 169
Kuno, S., see Mogi, M., 45
Kurt, A., see Devrim, M., 17

Lee, E., see Shin, D.H., 53
Lee, H.Y., see Shin, D.H., 53
Lee, K., Dixon, A.K., Pinnock, R.D., Serotonin depolarizes hippocampal interneurones in the rat stratum oriens by interaction with $5HT_2$ receptors, 56
Lee, K.H., see Shin, D.H., 53
Lee, N.J., see Rhyu, I.J., 149
Lee, W.J., see Shin, D.H., 53
Lehmenkühler, A., Richter, F., Pöppelmann, T., Hypoxia- and hypercapnia-induced DC potential shifts in rat at the scalp and the skull are opposite in polarity to those at the cerebral cortex, 67
Licastro, F., Pedrini, S., Govoni, M., Pession, A., Ferri, C., Annoni, G., Casadei, V., Veglia, F., Bertolini, S., Grimaldi, L.M.E., Apolipoprotein E and α-1-antichymotrypsin allele polymorphism in sporadic and familial Alzheimer's disease, 129
Lincoln, S., see Harhangi, B.S., 1
Lindenlaub, T., see Sommer, C., 25
Ling, E.-A., see Ng, Y.-K., 153
Liu, Q.-g., see Vetrugno, V., 41
Lotze, M., see Jessen, F., 13

Machado-Salas, J.P., see Avila-Costa, M.R., 107
Maeda, M., see Nakai, M., 173
Maeyama, K., see Huang, Z.-L., 181
Magnaghi, V., see Messi, E., 165
Malchow, M., see Vetrugno, V., 41
Malin, J.-P., see Schwenkreis, P., 137
Manolas, M.G., Stamoulos, T.D., Anninos, P.A., Differences in human visual evoked potentials during the perception of colour as revealed by a bootstrap method to compare cortical activity. A prospective study, 21
Mao, L., Wang, J.Q., Protection against acute amphetamine-induced behavior by microinjection of a group II metabotropic glutamate receptor agonist into the dorsal striatum of rats, 103
Martinez, M., see Harhangi, B.S., 1
Martini, L., see Messi, E., 165
Marziali, G., see Vetrugno, V., 41
Mase, M., Yamada, K., Iwata, A., Matsumoto, T., Seiki, K., Oda, H., Urade, Y., Acute and transient increase of lipocalin-type prostaglandin D synthase (β-trace) level in cerebrospinal fluid of patients with aneurysmal subarachnoid hemorrhage, 188
Matsumoto, T., see Mase, M., 188
Matsuoka, N., Yukawa, H., Ishii, K., Hamada, H., Akimoto, M., Hashimoto, N., Miyatake, S.-I., Adenovirus-mediated gene transfer of Bcl-xL prevents cell death in primary neuronal culture of the rat, 177
McKee, A.C., see Volicer, L., 169
Meco, G., see Harhangi, B.S., 1
Melcangi, R.C., see Messi, E., 165
Messi, E., Galbiati, M., Magnaghi, V., Zucchi, I., Martini, L., Melcangi, R.C., Transforming growth factor β2 is able to modify mRNA levels and release of luteinizing hormone-releasing hormone in a immortalized hypothalamic cell line (GT1-1), 165
Mezey, Sz., Székely, A.D., Bourne, R.C., Kabai, P., Csillag, A., Changes in binding to muscarinic and nicotinic cholinergic receptors in the chick telencephalon, following passive avoidance learning, 75
Michel, K., see Reiche, D., 71
Mineff, E., Valtschanoff, J., Metabotropic glutamate receptors 2 and 3 expressed by astrocytes in rat ventrobasal thalamus, 95
Miyatake, S.-I., see Matsuoka, N., 177
Mizuno, Y., see Mogi, M., 45
Mochizuki, T., see Huang, Z.-L., 181
Mogi, M., Togari, A., Kondo, T., Mizuno, Y., Komure, O., Kuno, S., Ichinose, H., Nagatsu, T., Brain-derived growth factor and nerve growth factor concentrations are decreased in the substantia nigra in Parkinson's disease, 45
Molnár, E., see Archibald, K., 49
Moore, C.E.G., Partner, A., Sedgwick, E.M., Cortical focusing is an alternative explanation for improved sensory acuity on an amputation stump, 185
Mullan, M., see Crawford, F., 133

Nagane, Y., see Utsugisawa, K., 145
Nagatsu, T., see Mogi, M., 45
Nakai, M., Maeda, M., Scopolamine-sensitive and resistant components of increase in cerebral cortical blood flow elicited by periaqueductal gray matter of rats, 173
Nalivaiko, E., see Blessing, W.W., 33
Ng, Y.-K., Ling, E.-A., Emperipolesis of lymphoid cells in vagal efferent neurons following an intraneural injection of ricin into the vagus nerve in rats, 153
Nicholas, A.P., Zhang, X., Hökfelt, T., An immunohistochemical investigation of the opioid cell column in lamina X of the male rat lumbosacral spinal cord, 9
Nistri, A., see Barbieri, M., 161

O'Brien, J.S., see Otero, D.A.C., 29
Oda, H., see Mase, M., 188

Ohba, H., see Utsugisawa, K., 145
Ohno, H., see Ishiguro, K., 91
Okuizumi, K., see Ozawa, T., 110
O'Mara, S.M., see Commins, S., 99
Onodera, O., see Ozawa, T., 110
Oostra, B.A., see Harhangi, B.S., 1
Otero, D.A.C., Conrad, B., O'Brien, J.S., Reversal of thermal hyperalgesia in a rat partial sciatic nerve ligation model by Prosaptide™ TX14(A), 29
Ozawa, T., Takano, H., Onodera, O., Kobayashi, H., Ikeuchi, T., Koide, R., Okuizumi, K., Shimohata, T., Wakabayashi, K., Takahashi, H., Tsuji, S., No mutation in the entire coding region of the α-synuclein gene in pathologically confirmed cases of multiple system atrophy, 110

Park, J.-M., see Ishiguro, K., 91
Partner, A., see Moore, C.E.G., 185
Pedrini, S., see Licastro, F., 129
Pellegrin, V., see Balzamo, E., 157
Peller, M., see Siebner, H.R., 37
Pession, A., see Licastro, F., 129
Petrausch, S., see Sommer, C., 25
Pfannkuche, H., see Reiche, D., 71
Pinnock, R.D., see Lee, K., 56
Pocchiari, M., see Vetrugno, V., 41
Pöppelmann, T., see Lehmenkühler, A., 67

Quadri, S.K., see ThyagaRajan, S., 79

Reiche, D., Pfannkuche, H., Michel, K., Hoppe, S., Schemann, M., Immunohistochemical evidence for the presence of calbindin containing neurones in the myenteric plexus of the guinea-pig stomach, 71
Renbäck, K., Inoue, M., Ueda, H., Lysophosphatidic acid-induced, pertussis toxin-sensitive nociception through a substance P release from peripheral nerve endings in mice, 59
Rhyu, I.J., Cho, T.H., Lee, N.J., Uhm, C.-S., Kim, H., Suh, Y.-S., Magnetic resonance image-based cerebellar volumetry in healthy Korean adults, 149
Richter, F., see Lehmenkühler, A., 67
Richter-Levin, G., see Akirav, I., 83
Rivas-Arancibia, S., see Avila-Costa, M.R., 107
Rugerio-Vargas, C., see Avila-Costa, M.R., 107

Sato, K., see Ishiguro, K., 91
Schemann, M., see Reiche, D., 71
Schinka, J., see Crawford, F., 133
Schwaiger, M., see Siebner, H.R., 37
Schwenkreis, P., Witscher, K., Janssen, F., Addo, A., Dertwinkel, R., Zenz, M., Malin, J.-P., Tegenthoff, M., Influence of the *N*-methyl-D-aspartate antagonist memantine on human motor cortex excitability, 137
Sedgwick, E.M., see Moore, C.E.G., 185
Seiki, K., see Mase, M., 188
Shimohata, T., see Ozawa, T., 110
Shin, D.H., Lee, H.Y., Kim, H.J., Lee, E., Lee, K.H., Lee, W.J., Cho, S.S., Baik, S.H., In situ localization of neuronal nitric oxide synthase (nNOS) mRNA in the rat retina, 53
Siebner, H.R., Peller, M., Willoch, F., Auer, C., Bartenstein, P., Drzezga, A., Schwaiger, M., Conrad, B., Imaging functional activation of the auditory cortex during focal repetitive transcranial magnetic stimulation of the primary motor cortex in normal subjects, 37
Somma-Mauvais, H., see Balzamo, E., 157
Sommer, C., Petrausch, S., Lindenlaub, T., Toyka, K.V., Neutralizing antibodies to interleukin 1-receptor reduce pain associated behavior in mice with experimental neuropathy, 25
Spatz, W.B., Unipolar brush cells in the cochlear nuclei of a primate (*Callithrix jacchus*), 141
Stamoulos, T.D., see Manolas, M.G., 21
Suh, Y.-S., see Rhyu, I.J., 149
Székely, A.D., see Mezey, Sz., 75

Takahashi, H., see Ozawa, T., 110
Takano, H., see Ozawa, T., 110
Tegenthoff, M., see Schwenkreis, P., 137
ThyagaRajan, S., Quadri, S.K., L-Deprenyl stimulates the release of catecholamines in the rat medial basal hypothalamus in vivo, 79
Togari, A., see Mogi, M., 45
Tohgi, H., see Utsugisawa, K., 145
Town, T., see Crawford, F., 133
Toyka, K.V., see Sommer, C., 25
Tsuji, S., see Ozawa, T., 110

Ueda, H., see Renbäck, K., 59
Uhm, C.-S., see Rhyu, I.J., 149
Urade, Y., see Mase, M., 188
Urakami, K., see Ishiguro, K., 91
Utsugisawa, K., Nagane, Y., Tohgi, H., Yoshimura, M., Ohba, H., Genda, Y., Changes with aging and ischemia in nicotinic acetylcholine receptor subunit α7 mRNA expression in postmortem human frontal cortex and putamen, 145

Valtschanoff, J., see Mineff, E., 95
Vaughan, J.R., see Harhangi, B.S., 1
Veglia, F., see Licastro, F., 129
Vetrugno, V., Malchow, M., Liu, Q.-g., Marziali, G., Battistini, A., Pocchiari, M., Expression of wild-type and V210I mutant prion protein in human neuroblastoma cells, 41
Volicer, L., Wells, J.M., McKee, A.C., Kowall, N.W., Enhanced inhibition of free radical-induced deoxyribose breakdown by Alzheimer brain homogenates, 169

Wakabayashi, K., see Ozawa, T., 110
Wang, J.Q., see Mao, L., 103
Watanabe, H., see Huang, Z.-L., 181
Wells, J.M., see Volicer, L., 169
Willoch, F., see Siebner, H.R., 37
Witscher, K., see Schwenkreis, P., 137
Wood, N.W., see Harhangi, B.S., 1

Yamada, K., see Mase, M., 188
Yamaguchi, H., see Ishiguro, K., 91
Yang, S.-N., Presynaptic involvement of nitric oxide in dopamine D1/D5 receptor-induced sustained enhancement of synaptic currents mediated by ionotropic glutamate receptors in the rat hippocampus, 87
Yoshimura, M., see Utsugisawa, K., 145
Yu, Y.H., see Blessing, W.W., 33
Yücesir, İ., see Devrim, M., 17
Yukawa, H., see Matsuoka, N., 177

Zenz, M., see Schwenkreis, P., 137
Zhang, X., see Nicholas, A.P., 9
Zucchi, I., see Messi, E., 165